IN THE CLAIMS

Please amend the claims as follows:

1. (Currently Amended) A cosmetic gel comprising:

a film-forming agent selected from the group comprising one or more ethyl

acrylate/methylmethacrylate copolymers in which the ratio of ethyl acrylate units to methyl

methacrylate units in the polymer is in the range of 7.5-8.5: 1.8-2.3, wherein the film-forming

agent is emulsifiable with water;

a solvent selected from the group consisting of an aliphatic hydrocarbon or a volatile

silicone derivate or combinations thereof wherein the aliphatic hydrocarbon solvent and volatile

silicone derivate solvent are not miscible with water and are emulsifiable with the film-forming

agent; film forming agent,

a non-ionic emulsifier; emulsifier and

water; water,

wherein the gel has an elasticity that is 4 to 5 times greater than the elasticity of the <u>film-forming</u>

film-forming agent alone and the gel has a softness greater than the film-forming agent.

2. (Currently Amended) A cosmetic gel, comprising:

a film-forming agent comprising one or more ethyl acrylate/methylmethacrylate

copolymers, wherein the film-forming agent is emulsifiable with water;

a solvent selected from the group consisting of aliphatic hydrocarbon solvent and and, a

volatile silicone derivate wherein the aliphatic hydrocarbon solvent and volatile silicone derivate are

not miscible with water and are emulsifiable with one or more water-based ingredients;

a non-ionic emulsifier; and

water; water,

wherein the gel has an elasticity that is 4 to 5 times greater than the elasticity of the film-forming

agent alone and the gel has a softness greater than the film-forming agent.

Title: COSMETIC PRODUCT CONTAINING ACRYLATES

- 3. (Previously Presented) The cosmetic gel according to Claim 2 wherein the emulsifier is chosen from the group consisting of alkoxylated alcohols, ethoxylated alcohols, polyglyceryl esters and mixtures thereof.
- 4.-6. (Canceled).
- 7. (Original) The cosmetic gel according to Claim 1 wherein it additionally contains auxiliary cosmetic substances, active cosmetic substances or mixtures thereof.
- 8. (Canceled).
- 9. (Original) The cosmetic gel of claim 1 wherein the aliphatic hydrocarbon solvent has a concentration of 0.01 to 90 percent by weight of the gel.
- 10. (Original) The cosmetic gel of claim 1 wherein the volatile silicone derivate has a concentration of 0.01 to 90 percent by weight of the gel.
- 11. (Previously Presented) The cosmetic gel of claim 2 wherein the non-ionic emulsifier has a concentration of 0.01 to 5 percent by weight of the gel.
- 12. (Previously Presented) The cosmetic gel of claim 2 wherein the water has a concentration of 1.00 to 80 percent of the gel.
- 13. (Canceled).
- 14. (Original) The cosmetic gel of claim 1 wherein the aliphatic hydrocarbon solvent is selected from one or more of isododecane, pentane, hexane, decane, or other isoparaffin.
- 15. (Original) The cosmetic gel of claim 1 wherein the aliphatic hydrocarbon solvent or volatile silicone derivate ranges from 30 to 75% by weight.

Title: COSMETIC PRODUCT CONTAINING ACRYLATES

- 16. (Previously Presented) The cosmetic gel of claim 1 wherein the volatile silicone derivate is selected from one or more of dimethicone, cyclomethicone, or decamethylcyclopentasiloxysiloxane.
- 17. (Original) The emulsifier of claim 3 selected from one or more of Laureth-20, Laureth-23, Oleth-20, Steareth-20, Steareth-50, Ceteareth-20, and Ceteareth-30.
- 18. (Original) A cosmetic made with the gel of claim 1.
- 19. (Original) A cosmetic made with the method of claim 13.
- 20. (Currently Amended) An emulsion comprising:

a mixture of a film-forming film forming agent comprising one or more of ethyl acrylate/methyl methacrylate copolymer in which the ratio of ethyl acrylate units to methyl methacrylate units in the polymer copolymer is in the range of 7.5-8.5: 1.8-2.3;

water; and

a non-ionic emulsifier; emulsifier,

wherein the gel has an elasticity that is 4 to 5 times greater than the elasticity of the <u>film-forming</u> film-forming agent alone and the gel has a softness greater than the film-forming agent.

- 21. (Currently Amended) The emulsion of claim 20, further comprising a volatile an aliphatic hydrocarbon solvent wherein the volatile aliphatic hydrocarbon is not miscible in water but is emulsifiable with the emulsion.
- 22. (Previously Presented) The emulsion of claim 20, further comprising a volatile silicone derivate wherein the volatile silicone derivate is not miscible in water but is emulsifiable with the emulsion.
- 23. (Currently Amended) A gel comprising the emulsion of claim 20 wherein the gel has an elasticity that is 4 to 5 times greater than the elasticity of the film-forming agent alone and the gel has a softness greater than the film-forming agent.

AMENDMENT AND RESPONSE UNDER 37 C.F.R. § 1.116 - EXPEDITED PROCEDURE

Serial Number:09/975,756

Filing Date: October 10, 2001

Title: COSMETIC PRODUCT CONTAINING ACRYLATES

Page 5 Dkt: 967.061US1

24. (Currently Amended) A cosmetic comprising the gel of claim <u>23</u> 22.

25. (Currently Amended) A sun-blocking cosmetic comprising the gel of claim 23 22 and a sun

blocking agent.

26. (Currently Amended) A lotion comprising the gel of claim 23 22 and an oil.

27. (New) The cosmetic gel of Claim 1, wherein the amount of the film-forming agent in the

gel is in the range of between 0.1 and 15% by weight of the gel and the amount of the solvent is

in the range of between 51 and 70% by weight of the gel.

28. (New) The cosmetic gel of Claim 2, wherein the amount of the film-forming agent in the

gel is in the range of between 0.1 and 15% by weight of the gel and the amount of the solvent is

in the range of between 51 and 70% by weight of the gel.

29. (New) The cosmetic gel of Claim 21, wherein the amount of the film-forming agent in the

emulsion is in the range of between 0.1 and 15% by weight of the emulsion and the amount of

the aliphatic hydrocarbon solvent is in the range of between 51 and 70% by weight of the

emulsion.

30. (New) The cosmetic gel of Claim 22, wherein the amount of the film-forming agent in the

emulsion is in the range of between 0.1 and 15% by weight of the emulsion and the amount of

the volatile silicone derivate is in the range of between 51 and 70% by weight of the emulsion.